


OSADA[®] MASSAGE CHAIR

PREMIUM PLUS User Manual

PREMIUM PLUS



Please read this user manual thoroughly prior to operating the massage chair. Store this booklet for future reference.

INTRODUCTION

1. Congrats. With intelligent soft 3D this Osada Premium Plus massage chair can massage your neck, shoulder and waist parts more gently, comfortably and smartly ; From imitation of traditional Chinese medicine massage techniques, it lets you enjoy a massage just like a human massage therapist. It also features a unique shoulder pressing function for stability.
2. With acupuncture point tracking detecting function it adjusts and performs a custom massage for different people with different body height, weight and shape.
3. With special heat function on the massage head and extra heat on back cushion it delivers extra benefit for those that prefer it. It helps to relax the stressed muscles and promotes blood circulation.
4. Combined with human body engineering research and development and a super long SL-shaped curve guide, it allows you to fully enjoy your massage from head to toe, and alleviating the stress and tension over the entire back and glutes.
5. One-button press to perform zero gravity lie down function. It can effectively alleviate the pressure on spine and legs, allowing you to experience low stress zero gravity position.
6. The forward sliding function requires just 4 inches from the wall. The backrest and seat frame move together, which takes full advantage of space. The design is full of smaller details which you may or may not notice but will appreciate.
7. With blue-tooth technology, it can play music from your cellphone or tablet PC, and help build a good mood.
8. The foot massager comes with full scraping function, with rollers in feet, combined with gentle air bag force on top to stimulate the soles. Use socks or towels if you find it too hard.
9. Leg massager equipped with multiple airbags, perform pulsed air pressure massage on legs, to promote blood circulation.
10. Air pressure squeezing massage on your arms, promote blood circulation and relieves muscle tension and pain from repetitive stress actions .
11. Equipped with multiple sets of airbags in waist and hip areas, it can press on the waist, hip and thigh parts, utilizing air pressure to massage alternately, giving you a massage feeling.
12. The legrest and foot parts can be adjusted to any angle that you need. It can be extended and retracted making it suitable for people of different heights to use.
13. The humanized simple remote control use the high definition big LCD, displaying the massage area, techniques and state in real time.

CONTENTS

Thank you for choosing this Premium Plus massage chair.
Please read this manual thoroughly before using the massage chair. Please keep this manual in a safe place for further reference.
Please pay attention to SAFETY INSTRUCTIONS.

Safety Instructions, Troubleshooting

External structure parts

Internal structure parts

Mechanical components diagram

Mechanical components list

Installation

The adjustment before massage

Manual control

Operation instruction & function illustration

After massage

Clean and maintenance

Malfunction guide

Technical data

Please keep this manual in a safe place for future reference.

Note We reserve the right for design modification. It is subject to change without notice. The pictures in this manual are only for reference. Please refer to the actual product.

SAFETY INSTRUCTIONS

- Please read this manual carefully to make sure the installation and operation of the massage chair is correct.
- “Safety Instructions” are provided in both Warning and Caution for important safety information.
Both Warning and Caution are important safety cautions so please take care.

| | |
|---|--|
|  Warning | This sign indicates warning that possible death or injury to body can occur. |
|  Caution | This sign indicates warning that pain or injury to body can occur. |

Use dry cloth to clean

| | | | |
|---|---|---|--|
|  | This sign indicates forbidden behavior. |  | This sign indicates self disassembly is forbidden. |
|  | This sign indicates must follow instruction to operate. |  | This sign indicates correct operation of cable. |

- The following should be kept for any further references.

TECHNICAL DATA

Technical data

| | | | |
|---------------|---------------------------|--------------|--|
| Name | 3D SL-track Massage chair | Power | 200 W |
| Model | Premium Plus | NW/GW | Main body :198.42 lb/ 246.92 lb Armrest : 59.52 lb/ 81.57lb |
| Input voltage | AC220-240V | Packing size | Main body 51.18x29.33x49.41 inch Armrest 61.61x16.54x27.95 inch |
| Safety design | Class 1 | | |

TROUBLESHOOTING GUIDE

SAFETY INSTRUCTIONS

FAQ and Troubleshooting

| Trouble | Possible reasons | Troubleshooting |
|--|--|--|
| The massage chair doesn't work after power is on. | Check if the power switch is on. | Turn off and on power switch |
| | Haven't selected massage function | Choose massage function |
| | Check whether the plug and socket are making poor contact. | Make sure plug and socket are connected properly. |
| | Wire or plug has visible damages. | Please contact service @osadaindia for checking and replacement. |
| | The fuse burned out. | Replace fuse of same specification. |
| | Something wrong with inner circuit. | Please ask appointed or authorized technician for checking and repairing. |
| There is beep sound inside the massager while working. | It is sound of air pump, motor and mechanical parts. | Normal sound, no need to pay attention to it. |
| Different height of the left roller and right roller. | Massage rollers work on shifts. | Normal, no need to pay attention to it. |
| Sound suddenly becomes much louder while working. | Check if due to long time operation. | Turn off the power to have the massager rest for over half an hour before next operation. |
| | Inner parts stressed due to long time operation. It's normal | Please ask appointed or authorized technician for checking and repairing. |
| Massage function suddenly stops while working. | Suddenly power-down | Connect the electricity power again |
| | Setting time is up. | Turn off the power to have the massager rest for over half an hour before next turn working. |
| Neither the backrest nor the legrest can be lay down. | Check if there are any obstacles; the chair overloads; for the sake of safety, sometimes the massage machine may automatically stop working. | Remove the obstacles; turn off the power to have the massager rest for over half an hour before next turn working. |
| The chair can't return to its original position. | Excessive operation; setting time is up. | Please ask manufacturer or appointed or authorized maintenance man for checking and replacement. |
| Electric wire or plug give out heat | It may work overload | Turn off the power to have the massager rest for over half an hour before next turn working. |
| | Other abnormal case | Stop using, and ask appointed maintenance man for help. |

 **Note:** If the troubles are not caused by above reasons, please turn off the power switch and cut off the power, then contact the manufacturer or service agent to repair your chair.

Warning

| | | |
|---|--|--|
|  | <ul style="list-style-type: none"> Osteoporosis patient; People with heart disease including embedded pacemaker or other medical electronic device inside the body; For pregnant women or people with health issues, please consult doctor before use ; Patients with a high fever forbidden to use this machine. Perceptual disabilities patients forbidden to use this machine. People > 80 years old forbidden to use this machine unless doctor ok. Kids and the drunk people are not allowed to use the chair; Please don't sleep in the chair. Don't use the chair when your body is wet. | People who are not suitable to use the chair |
| | <ul style="list-style-type: none"> Make sure there are no kids or pets or other objects around (under, behind or in front of) the chair at the moment of backrest, leg-rest up/down or leg-rest retraction/extension from reclining position. During operation, if body is being abnormal, please stop the operation and go consult with your physician. Please do not take strong massage on the head. Do not massage belly or knees, be careful when massaging neck. Children or pets are not allowed to play on the chair especially during massage. Standing or sitting on the back or armrest is not allowed either. Those who move around with difficulty or can't express themselves must be taken care of strictly and continuously during massage. | Accident/injury |
|  | <ul style="list-style-type: none"> Insert the plug of the chair into correct and suitable power socket. Make sure the plug is completely inserted into the socket to reduce short circuit or fire risk. Unplug the power when not in use, stop all massage functions and turn off on/off key before unplugging. | Fire and electric shock |
| | <ul style="list-style-type: none"> It is prohibited to use the massage chair while any items are covering the massage chair ventilation holes (required for cooling). Massage cushions of the chair should not be folded for storage. The machine is forbidden for no-load running for a long time. | Accident |
|  | <ul style="list-style-type: none"> Power cord, plug, socket can't be used in broken or loose contact condition. Don't use other electric power except rated voltage in case of fire, electric shock or any breakdown. Any broken, re-processed, knotted, twisted power cord or pressed under heavy cargo is not allowed to be used. | Fire and electric shock |
| | <ul style="list-style-type: none"> If the chair is dysfunctional, or is broken, splashed with water or falls into water, please have it repaired by professional repairman or send the chair to assigned service agent. Self-modification, disassembly or maintenance is forbidden. If power cord or plug is damaged, please don't replace it yourself, please contact us or appointed dealer for replacement. To avoid electric shock or body injury, please don't open or disassemble any part of the chair, there is not any attached part of the chair for maintenance by customers. Check leather or cloth material on the back and other areas is broken or not. If broken, even though it is small, please stop using the chair, unplug the power and have it repaired. | Disassembly and maintenance |

SAFETY INSTRUCTIONS

⚠ Caution

| | | |
|---|---|--|
| ! | <ul style="list-style-type: none"> Please operate the chair when it is flat or on level place | To avoid sudden falling. |
| | <ul style="list-style-type: none"> Position the chair 4 inches from the wall to allow for sufficient space to recline up and down. | To ensure back can go. |
| | <ul style="list-style-type: none"> The maximum suggested operating time is 20 mins. 5 mins for each position beginning with the slight- step massage. Along continuous massage in the same position may cause uncomfortable feeling. | Too long time massage is bad for your body. |
| | <ul style="list-style-type: none"> Before sitting on the chair to avoid injury please inspect everything to confirm that the massage heads are in the correct position. | To avoid accidental injury. |
| | <ul style="list-style-type: none"> Please make sure that the power switch is on "OFF" position before inserting the plug into the socket. | To avoid the accident when turn on the power. |
| | <ul style="list-style-type: none"> Turn off all controls before removing plug from outlet. | To reduce short circuits and any fire hazard. |
| | <ul style="list-style-type: none"> Make sure the plug is completely inserted into the socket. | To avoid electric shock in any leakage or breakdown. |
| ! | <ul style="list-style-type: none"> Checking whether there are any damages on the wire and make sure there are no water or rubbish on the wire. | To avoid electric shock in any leakage or breakdown. |
| | <ul style="list-style-type: none"> Installing the wire in a correct way. | To avoid electric shock in any leakage or breakdown. |
| | <ul style="list-style-type: none"> The plug must be inserted into socket with the <u>correctly</u>, the connector shouldn't be bent or cut off. | To avoid electric shock in any leakage or breakdown. |
| | <ul style="list-style-type: none"> Don't press with hands or step on the massage heads with feet. | To avoid accidents or injury |
| | <ul style="list-style-type: none"> Don't put hands between the working massage heads. | |
| | <ul style="list-style-type: none"> Don't put hands or feet in the gap of mechanical parts. | |
| | <ul style="list-style-type: none"> Don't drop or insert anything into the slot of massage chair. | |
| | <ul style="list-style-type: none"> Don't stand or sit or put anything on the backrest, armrest, or leg-rest. | |
| | <ul style="list-style-type: none"> Don't stand on the chair during operation. | |
| | <ul style="list-style-type: none"> Don't move the chair during operation. | |
| <ul style="list-style-type: none"> Don't pull out the plug or turn off the power during operation. | | |
| <ul style="list-style-type: none"> Don't put your hands or head between leg-rest or beneath. | | |
| <ul style="list-style-type: none"> Don't use the massage chair while wearing hair ornaments. | | |
| ! | <ul style="list-style-type: none"> Don't put hard things in pocket when take buttocks and huckle massage. | To avoid fade, discolor on upholstery or hardened, deteriorated on PU. |
| | <ul style="list-style-type: none"> Don't sit or press on the backrest when the chair is in reclining position. | |
| | <ul style="list-style-type: none"> Don't use on bare skin or wearing thin clothes, thin clothes may cause better massage effect, But it also may cause irritation to the skin or cryogenic burns. | |
| | <ul style="list-style-type: none"> Keep the chair away from heat, wet, sharp things and corrosive, inflammable, explosive environment. | |
| | <ul style="list-style-type: none"> To use electric blanket or other heating products on the chair is for sidden. | |
| | <ul style="list-style-type: none"> Don't put in the space of dust serious or corrosive gas environment. | |
| | <ul style="list-style-type: none"> Don't put the chair in a small space places or use in the bad air circulation places. | |
| ! | <ul style="list-style-type: none"> Keep the chair away from stove or other heating products. | To avoid fade, discolor on upholstery or hardened, deteriorated on PU. |
| | <ul style="list-style-type: none"> Don't put the chair directly under the sun or other high temperature places. | |
| | <ul style="list-style-type: none"> Don't use the chair in outdoor. | |

CLEANING AND MAINTENANCE

Synthetic leather

General cleaning

Clean with tidy, soft and dry cloth slightly.




(Chemical or medical cleaning products are forbidden)



If leather is dirty

- 1 Dip soft cloth into 3-5% neutral detergent solution, squeeze it then clean the stain on the surface gently.
- 2 Wash cloth, squeeze it and wipe with detergent.



- 3 Clean it softly with dry cloth.
- 4 Allow to dry (air blower is prohibited)

Cloth material

- 1 Dip cloth into weak neutral detergent, squeeze it and clean the material surface. (Diluent, gas, alcohol are prohibited)



Brush the dirty parts with weak neutral detergent. [avoid excessive brushing]

- 2 Excessive cleaning may cause damage to cloth material.
- 3 Wipe with water-dipped but squeezed cloth.
- 4 Allow to dry.




Plastic parts

- 1 Dip cloth into neutral detergent, squeeze it and clean.
- 2 Wipe with water-dipped but squeezed cloth.
- 3 Let it dry fully before using it.



Clean the controller

- 1 Wipe with soft cloth after squeezing.
- 2 Allow to dry. Propellant, diluent or alcohol are prohibited.



About cleaning

- Before cleaning, unplug the electricity, don't touch plug with wet hands.
- Make sure hands are dry when plugging to the socket.
- If failed to follow the mentioned instruction, user may get electric shock or burned.



AFTER MASSAGE

Restoration of massage chair

- ❶ Make sure there are no people, pet or anything within the range of backrest and legrest.



- ❷ Make backrest and legrest restore to the normal position by controller.(or press ON/Off key to make backrest and legrest restore to the normal position)




- ❸ Put the remote control back to the pocket after chair gets reset.




- ❹ Put the pillow pad on to the right position.

- ❺ Switch off the power.



- ❻ Unplug the electricity from the socket.
(Attention: hold the right plug position)



- ❼ Clean the chair if necessary.

⚠ Attention!

- After using, press ON/OFF to end all the massage method and wait for restoration.
- Make sure to cut the electricity to avoid any unexpected hurt to children or pets.
- After using, turn off the power, unplug the electricity. Avoid moisture, dirt and aging of insulation in case of causing damage.

SAFETY INSTRUCTIONS

⚠ Caution

| | | |
|--|--|---|
| | <ul style="list-style-type: none"> • Don't use or store the chair in the wet environment like near the swimming pool, or bathroom. • Keep the chair and remote control dry at all time. • Don't use the chair when your body is wet. | To avoid leakage or electric shock. |
| | <ul style="list-style-type: none"> • Make sure to install the wire in correct way(Incorrect install way may cause electric shock. If you don't know how to install, please find a professional electrician) • Don't use plug adapter (If the enclosed plug doesn't match with socket, please don't change the plug by yourself and find a professional electrician to install a matched socket.) | To avoid electric shock. |
| | <ul style="list-style-type: none"> • Unplug the power before cleaning the chair. • Unplug the power after using the chair. | To avoid electric shock or fire hazard. |
| | <ul style="list-style-type: none"> • Unplug the power when any damage on the power. • Hold the plug to unplug the power but to not try to pull the wire to unplug the power. | |
| | <ul style="list-style-type: none"> • Please turn off the power switch and unplug the power after massage. | To avoid accidents |
| | <ul style="list-style-type: none"> • Unplug the power immediately when electricity goes off. | To avoid damage or accidents when power on again. |


- ⚠ Warning :
- 1.Do not use it when gets wet.
 - 2.The disabled or people who need supervision.
 - 3.The chair has heat function, people who are insensitive to heat must pay high attention.

Grounding instruction

The chair is equipped with a cord having a grounding conductor.The plug must be plugged into an appropriate socket that is properly installed and matched with the plug.

Replace fuse

When the fuse is burned out, please turn off the switch and unplug the power. Open the electrical compartment lid which is located in the switch box. Using a same size fuse to replace the old one, then cover the lid. Or you can find an electrician to replace the fuse.



Earth wire is not allowed to be in these places

Gas pipe: probably cause explosion or fire.
Phone wire and lightning rod: probably cause electric shock and fire when thundering.
Water pipe: earth wire is useless where there are plastics

EXTERNAL STRUCTURE PARTS

External structure



OPERATION INSTRUCTION AND FUNCTION ILLUSTRATION

Function illustration

Legrest Up

Press this button on controller, legrest goes up. Release the button, legrest stops moving, the angle is locked in this position.



Legrest extend and retract

Legrest can extend or retract within a range of 6 inches.



Legrest Down

Press this button on controller, Legrest goes down. Release the button, Legrest stops moving, the angle is locked in this position.



Arm massage

Put arms between arm airbags before the embedded airbags before filled with air. It will preform pinch massage techniques to arms and hands after airbags inflating.



Legrest up and backrest down

Press this button on controller, backrest goes down and Legrest go up. Release this button, backrest and Legrest stop moving, the angle is locked in this position.



Shoulder massage

Multi-layer extrusion airbags is deployed on both sides of the shoulder. Achieve pressure shoulder stretch massage, relieve shoulder fatigue.



Backrest up and Legrest down

Press this button on controller, backrest goes up and Legrest go down. Release this button, back rest and Legrest stop moving, the angle is locked in this position.



Foot roller massage

Footrest parts with roller massage and air pressure massage function. Through stimulating the foot reflex zones, and clear the body meridians, regulate and restore human organs function, improve the body resistance and immunity effectively.



Zero Gravity

Press the button "Zero Gravity", backrest go down and Legrest raise up, the chair go into Zero gravity status automatically. Press the Button again, the backrest and Legrest stop moving, and it will lock at this position. However to change the angels, we can keep comfortable massage status all the time.



- ❗ 1 Please make sure there are no people, no pets or any items within range for backrest to avoid unexpected hurt or property loss.
- 2 When adjusting the backrest, be careful the gap between the backrest and armrest.
- 3 When the Legrest is moving, please do not stand on or leave from the seat, and do not stop the legrest from moving in case of causing damage to the chair.
- 4 Please refer to control instruction for more details.

OPERATION INSTRUCTION AND FUNCTION ILLUSTRATION

ON/OFF



Step1. Power on

- Put one end plug of power line into "a" hole.
- Please make sure the controller cord to be inserted into hole "b".
- Put power plug to socket.
- Turn on the power switch which is on the power box, massage chair is powered.
- Press "ON/OFF" on the controller, "DI" beep sound send out, mean while enter into the main display interface.


Step2. Massage

- Operate according to controller operation instruction.
- When massage stops, massage machine will return to the default position, mean while "Shutting down" will be displayed on the controller, controller off after 2-3 seconds.



Step3. Turn off the power

- When the chair is On, press On/Off button to turn off the massage chair and it will restore automatically.
- Turn off the power switch on the bottom of the back of chair after the rollers stay at storage position.
- Unplug the power plug from the socket.



Warning

- Before using, pull up the pillow, back cushion etc. to check if the PU material is broken, if there is damage, please stop using, unplug the chair, and ask for repairment.
- Only plug to proper socket.




Attention

- Before sitting down, make sure there is no things pinched between armrest, legrest, backrest and seat of the chair.
- Make sure the chair is in returned position before using.
- Do not stand on it when using the massage chair.

INTERNAL STRUCTURE PARTS


Internal structure



MECHANICAL COMPONENTS DIAGRAM

MANUAL CONTROL


Explosion Diagram



| | |
|--|--|
| | 1. In standby position, press on/off to power on. In ON state, press on/off to power off and chair shall reset automatically and the seat part, leg-rest goes to the lowest and back-rest rises to the highest, remote control is off. |
| | 2. In ON state, press this key to stop all the massage functions, all keys are defunct. If want to continue the massage, press on/off key to restart the control. |
| | 3. In ON state, press this key to start the foot rollers. Press it again to start the quick roller massage, press it for the third time to stop the foot roller. |
| | 4. In ON state, press this key to enter AUTO massage and select from the five auto massage programs on the screen in circles. |
| | 5. In ON state, press this key to start the massage machine heat, with Heat 1 displaying on the screen. |
| | 6. In ON state, press this key to start stretch massage and choose from the two stretch programs on the screen in circles. |
| | 7. In ON state, press this key to enter MANUAL massage, five massage techniques are displayed on the screen to choose in circles. |
| | 8. Press Δ key to raise the leg-rest, release that key, the leg-rest shall stop moving. Press ∇ key to lower the leg-rest, release that key, the leg-rest shall stop moving. |
| | 9. Press Δ key to raise the backrest and lower the leg-rest, release that key, backrest and leg-rest shall stop moving. Press ∇ key to lower the backrest and raise the leg-rest, release that key, the back-rest and leg-rest will stop moving. |
| | 10. In ON mode, press this key, massage chair goes to Zero-Gravity position, now a body shape image is glittering on the screen. Press it again to reset the chair to original position. |
| | 11. In ON state, after the body scan, press this key for a long time to adjust the massage machine position. In other cases, press this key to adjust the shoulder height position manually. |
| | 12. In ON state, after the shoulder height detection and during the manual massage, press this key to adjust the massage width. |
| | 13. In ON state, during the air massage, press this key to adjust the air massage intensity. |
| | 14. In ON state, during the manual massage after the shoulder height detection, press this key to adjust the massage speed. |
| | 15. In ON state, after body scan during the manual massage, press this key to adjust the 3D intensity. |
| | 16. In ON state, press any part to start that part's air massage. For every part, press it repeatedly to turn on or turn off that part's air massage. |
| | 17. In ON state, during the manual massage, select the massage position by this key, it allows for multiple choice. As for the corresponding information, please refer to the screen display. |

CONTROLLER (WIRED)

Wired manul control



MECHANICAL COMPONENTS LIST

Mechanical components list

| No. | Name | Q'ty | No. | Name | Q'ty |
|-----|--|------|-----|------------------------------------|------|
| 1 | Remote control | 1 | 22 | Pillow | 1 |
| 2 | Controllor bracket | 1 | 23 | Right shoulder and armrest assy | 1 |
| 3 | Right side fender | 1 | 24 | Seat frame surface assembly | 1 |
| 4 | Air pump assembly | 2 | 25 | Right side of seat airbag assembly | 1 |
| 5 | Connecting rod | 1 | 26 | Seat support bar | 2 |
| 6 | Legrest & footrest | 1 | 27 | Castor | 2 |
| 7 | Front fender | 1 | 28 | Power case assembly | 1 |
| 8 | Left side fender | 1 | | | |
| 9 | Left side of seat airbag assembly | 1 | | | |
| 10 | Backrest electric actuator | 1 | | | |
| 11 | Bottom seat frame assembly | 1 | | | |
| 12 | Footrest electric actuator | 1 | | | |
| 13 | Sliding rail | 2 | | | |
| 14 | Top seat frame assembly | 1 | | | |
| 15 | Left shoulder and amrest assy | 1 | | | |
| 16 | Electric magnetic valve | 2 | | | |
| 17 | Massage machine | 1 | | | |
| 18 | Back cover assembly | 1 | | | |
| 19 | Back frame assembly | 1 | | | |
| 20 | Backrest plastic front cover and seat plate assembly | 1 | | | |
| 21 | Back and seat cushion | 1 | | | |

INSTALLATION

Installation

Step1. How to move the chair

- Take out the back seat cushion box from the main box first, and then grasp left and right metal frame, take the chair body from the main carton box.
- Take out the pillow, back seat cushion, power cord, controller bracket, remote control, left and right side airbags of seat from back seat cushion box. (As shown th the pictures)



Head pad



Back seat cushion



Electric power cable



Controller bracket



Remote control



Right side airbags of the seat (zipper side upwards)



Left side airbags of the seat (zipper side upwards)



Massage chair main body

- Take out the left, right shoulder and armrest from the armrest carton box. Catching the two side of the shoulder and armrest and take them out slowly. Put the shoulder and armrest on the table or ground in flat (pay attention to prevent scratches). Catch the shoulder and armrest two sides from the front of it and take it slowly when install the shoulder and armrest.



Left shoulder and armrest Right shoulder and armrest

- Taking out the legrest device from the legrest carton box, catching the front and back two sides of the legrest and take them out.



THE ADJUSTMENT BEFORE MASSAGE

How to move massage chair

⚠ Caution

Don't move chair when it's working to avoid accidents or damage


How to move

- Bind the cables and put them in the seat to avoid damage when moving.
- If you plump the chair, it may damage the inner parts of the chair.
- Don't use the castor if the floor is wooden or other easy damaged material. It will need 2 or more people to lift the chair.
- Make sure the power is off and the plug doesn't touch the floor (It's better to let the chair in standing status to avoid the back crashing the floor)



Normally

Lift up the legrest to make the weight fall on the castor. Then push chair to destination and set it down.




Please hold the footrest to move the chair as shown in the picture.

Adjustment before massage

Before adjustment

- Please make sure the massage head is in the seat part before sitting on the chair.



- To avoid injures caused by wrong position of the massage head.

Acupuncture point tracking detecting confirm

When acupuncture point position is being detected, if massage head can't detect the effective shoulder height position, the shoulder height position defaults to the middle part of back.

Right position

Back leaning on the chair back, the head rests on the pillow.



The remote control gives "beep" sound after acupuncture point tracking detecting finished, if micro-adjustment is needed, just press up/down key on the remote control.

- If the massage head detecting your acupuncture point position is not right, you won't get good massage.

Suggestion



- When you feel the intensity isn't strong enough, take off the pillow or cushion.

- Because the chair is heavy, it may damage your floor if kept for long term. Please put a protector or other soft support to protect your floor.



THE ADJUSTMENT BEFORE MASSAGE

INSTALLATION

Environment

⚠ Caution

-  Don't use the chair in wet places like near the swimming pool and bath room to avoid leakage or electric shock.
-  Don't use under the sunlight or near stove or other heating place to avoid upholstery being deteriorated.
-  Please use chair in a flat place to avoid chair falling or noise or other unexpected troubles.

• Check places in front

Check the areas when back and leg are extending, make sure no people, pets or other things are around.



• Check power cable, plug

- (1) Clean the dust on plug on time. (using dry cloth).
- (2) No damage, re-do, bend, stretch, tie or press with heavy thing (especially can't be pressed by the chair) on power cable.



Check environment

Space size for using the chair


- At least 4 Inches from wall.



- At least 11.8 Inches in front of the leg.

Check surroundings

When the backrest or legrest reclines or extends, please pay attention to:
 (1) Check any person or things in every direction.
 (2) Check the space size.



Installation

Step 2. Massage chair position return

After take out the main chair body, ① Take out the power cord, insert one end of power cord to the socket on power box, another end insert into power socket. ② Turn on the power switch on power box, massage chair in power on status, backrest goes up and seat goes down. ③ After backrest return, turn off the switch, unplug the power plug. (Refer to step 7, after the assembly)



Step 3. How to assemble the legrest

Install the legrest to the main body, ① Unscrew the bolt from hanger of legrest. ② connect 3 air pipes on legrest with air tap on main body, from left to right is grey, brown and black pipe. ③ Connect power line with power socket tight. ④ raise the rotation shaft board on hangers, raise the legrest with hands, put rotation shaft into hangers on main body, and put rotation shaft board down. ⑤ screw it back tight.




INSTALLATION

Installation

Step 4. Assemble left and right shoulder and armrest

① Unscrew the M6 bolts on the seat frame with cross screwdriver. ② Lift shoulder and armrest, put shoulder massage device inside near to backrest side, and put fixed axle 1 into fixed hole 1 on backrest side, and make shoulder in right position. ③ Connect the wire from shoulder part to the socket on the side backrest. ④ Make fixed hole 2 on top of shoulder part align to fixed axle 2 which on top of backrest. ⑤ Make two fixed hole 3 on shoulder align to the two fixed axle 3 on the side of backrest. ⑥ Put the mentioned fixed axle to fixed hole and insert to right position, move downward the shoulder, and armrest put the square tube on armrest into plate on seat frame side, it is completely fixed until you can not move downward any more. ⑦ Make the front and back panel on armrest match bolt hole on the seat metal frame, screw on the M6 screws tightly. ⑧ Connect the air hose from armrest to the air hose from seat. ⑨ Connect the LED wire from armrest to the LED wire from seat. Note: Please make sure not to squeeze the air hose, LED wire during installation.



Step 5. Installation of left and right side airbags of seat and remote controller

Assemble left and right side airbags of seat: ① Take out the left and right side airbags of seat, make the side with zipper face to the seat, make the two cylindrical pins align to the two hole on the seat frame, then press down straightly, make sure the connect tightly. ② Connect the air hose from air bag to the air hose connector on the back side of seat, around the zipper of air bag, make sure the connect tightly. Assemble controller and bracket: Screw out 3pcs M5*15 screws on the outward of right armrest, put controller bracket to the hole, and fix with 3 screws, cover screws by the cover on support bracket, then put controller to controller holder.



INSTALLATION

Installation


Step 6. Connect the zipper or velcro

Put the back seat cushion, head pad onto the backrest and connect the two parts with zipper and velcro.



Warm tips

In order to get exact correct body test data for comfortable massage effect, when you sit on the chair, please make the bottom rim of the head pad flush with your ears before zippering the said two parts.




Step 7. After the Assembly

After the assembly, please operate the chair in this order:

- ① Plug the cable line in the hole a on the power box as shown in the right picture.
 - Hole A connect with one end of cable line.
 - Hole b insert plug of the remote control.
- ② Insert the plug of cable line into the socket.
- ③ Switch on.

[Power Switch 0/1, press 1 to power on, press 0 to power off.]
- ④ Enjoy the massage by using the remote control.



! Make sure the switch is off before you insert the plug of cable line into the socket.